

Flow of Control: Branching

FIGURE 3.1 The Action of the if-else Statement in Listing 3.1

```
if (balance >= 0)
        balance = balance + (INTEREST_RATE * balance) / 12;
    else
       balance = balance - OVERDRAWN_PENALTY;
                                     Start
                                    Evaluate
                                 balance >= 0
                              True
                                             False
               Execute
                                                   Execute
balance = balance +
                                          balance = balance -
    (INTEREST_RATE * balance) / 12;
                                              OVERDRAWN_PENALTY;
```

LISTING 3.1 A Program Using if-else

```
import java.util.Scanner;
public class BankBalance
    public static final double OVERDRAWN_PENALTY = 8.00;
    public static final double INTEREST_RATE = 0.02; //2% annually
    public static void main(String[] args)
        double balance:
        System.out.print("Enter your checking account
        balance: $"):
        Scanner keyboard = new Scanner(System.in);
        balance = keyboard.nextDouble();
        System.out.println("Original balance $" + balance);
       if (balance >= 0)
            balance = balance + (INTEREST_RATE * balance)
            / 12:
        else
            balance = balance - OVERDRAWN_PENALTY;
        System.out.print("After adjusting for one month ");
        System.out.println("of interest and penalties,");
        System.out.println("your new balance is $" + balance);
}
```

Sample Screen Output 1

Enter your checking account balance: \$505.67
Original balance \$505.67
After adjusting for one month of interest and penalties,
your new balance is \$506.51278

Sample Screen Output 2

Enter your checking account balance: \$-15.53
Original balance \$ -15.53
After adjusting for one month of interest and penalties,
your new balance is \$ -23.53

FIGURE 3.2 The Semantics of the if-else Statement




FIGURE 3.3 The Semantics of an if Statement Without an else




FIGURE 3.4 Java comparison operators

Math Notation	Name	Java Notation	Java Examples
=	Equal to	==	balance == 0 answer == 'y'
≠	Not equal to	!=	income != tax answer != 'y'
>	Greater than	>	expenses > income
≥	Greater than or equal to	>=	points >= 60
<	Less than	<	pressure < max
<	Less than or equal to	<=	expenses <= income

FIGURE 3.5 Avoiding the Negation Operator

! (A Op B) Is Equivalent to (A Op B)		
<	>=	
<=	>	
>	<=	
>=	<	
==	!=	
!=	==	

FIGURE 3.6 Java Logical Operators

Name	Java Notation	Java Examples
Logical and	&&	(sum > min) && (sum < max)
Logical or	П	(answer == 'y') (answer == 'Y')
Logical not	!	!(number < 0)

FIGURE 3.7 The Effect of the Boolean Operators && (and), || (or), and ! (not) on Boolean Values

Value of A	Value of <i>B</i>	Value of A && B	Value of A B	Value of! (A)
true	true	true	true	false
true	false	false	true	false
false	true	false	true	true
false	false	false	false	true

LISTING 3.2 Testing Strings for Equality (part 1 of 2)

```
import java.util.Scanner;
public class StringEqualityDemo
    public static void main(String[] args)
        String s1, s2;
        System.out.println("Enter two lines of text:");
        Scanner keyboard = new Scanner(System.in);
        s1 = keyboard.nextLine();
                                               These two invocations of
        s2 = keyboard.nextLine();
                                               the method equals are
                                              egulvalent.
        if (s1.equals(s2))
           System.out.println("The two lines are equal.");
        else
           System.out.println("The two lines are not equal.");
        if (s2.equals(s1))
           System.out.println("The two lines are equal.");
        else
           System.out.println("The two lines are not equal.");
        if (s1.equalsIgnoreCase(s2))
           System.out.println(
                        "But the lines are equal, ignoring case.");
        else
           System.out.println(
                        "Lines are not equal, even ignoring case.");
    }
```

Sample Screen Output

```
Enter two lines of text:

Java is not coffee.


Java is NOT COFFEE.

The two lines are not equal.

The two lines are not equal.

But the lines are equal, ignoring case.
```

FIGURE 3.8 The Semantics of a Multibranch if-else Statement



JAVA: An Introduction to Problem Solving & Programming, 6th Ed. By Walter Savitch ISBN 0132162709 © 2012 Pearson Education, Inc., Upper Saddle River, NJ. All Rights Reserved

LISTING 3.3 Assigning Letter Grades Using a Multibranch if-else Statement (part 1 of 2)

```
import java.util.Scanner;
public class Grader
    public static void main(String[] args)
        int score;
        char grade;
        System.out.println("Enter your score: ");
        Scanner keyboard = new Scanner(System.in);
        score = keyboard.nextInt();
        if (score >= 90)
            grade = 'A':
        else if (score >= 80)
            grade = 'B';
        else if (score >= 70)
            grade = 'C';
        else if (score >= 60)
            grade = 'D';
        else
            grade = 'F';
        System.out.println("Score = " + score);
        System.out.println("Grade = " + grade);
```

Sample Screen Output

Enter your score:

85

Score = 85

Grade = B

LISTING 3.4 A Body Mass Index Calculation Program (part 1 of 2)

```
import java.util.Scanner;
public class BMI
    public static void main(String[] args)
        Scanner keyboard = new Scanner(System.in);
        int pounds, feet, inches;
        double heightMeters, mass, BMI;
        System.out.println("Enter your weight in pounds.");
        pounds = keyboard.nextInt();
        System.out.println("Enter your height in feet" +
           "followed by a space" +
           "then additional inches.");
        feet = keyboard.nextInt();
        inches = keyboard.nextInt();
        heightMeters = ((feet * 12) + inches) * 0.0254;
        mass = (pounds / 2.2);
        BMI = mass / (heightMeters * heightMeters);
        System.out.println("Your BMI is " + BMI);
        System.out.print("Your risk category is ");
        if (BMI < 18.5)
           System.out.println("Underweight.");
        else if (BMI < 25)
           System.out.println("Normal weight.");
```

LISTING 3.4 A Body Mass Index Calculation Program (part 2 of 2)

```
else if (BMI < 30)
        System.out.println("Overweight.");
else
        System.out.println("Obese.");
}</pre>
```

Sample Screen Output

```
Enter your weight in pounds.

150

Enter your height in feet followed

by a space then additional inches.

5 5

Your BMI is 25.013498117367398

Your risk category is Overweight.
```

FIGURE 3.9 Operator Precedence

Highest Precedence

First: the unary operators +, -, ++, --, and!

Second: the binary arithmetic operators *, /, %

Third: the binary arithmetic operators +, -

Fourth: the boolean operators <, >, <=, >=

Fifth: the boolean operators ==, !=

Sixth: the boolean operator &

Seventh: the boolean operator |

Eighth: the boolean operator &&

Ninth: the boolean operator | |

Lowest Precedence

LISTING 3.5 A switch **Statement** (part 1 of 2)

```
import java.util.Scanner;
public class MultipleBirths
{
    public static void main(String[] args)
        int numberOfBabies:
        System.out.print("Enter number of babies: ");
        Scanner keyboard = new Scanner(System.in);
        numberOfBabies = keyboard.nextInt();
        switch (numberOfBabies) 

    Controlling expression

           case 1:
               System.out.println("Congratulations.");
               break:
           case 2:
               System.out.println("Wow. Twins.");
               break:
                                            break statement
           case 3:
               System.out.println("Wow. Triplets.");
               break:
           case 4:
                                            Case with no break
           case 5:
               System.out.print("Unbelievable; ");
               System.out.println(numberOfBabies +
                                  " babies.");
               break:
           default:
               System.out.println("I don't believe you.");
               break;
}
```

Sample Screen Output 1

Enter number of babies: 1 Congratulations.

Sample Screen Output 2

Enter number of babies: 3
Wow. Triplets.

Sample Screen Output 3

Enter number of babies: 4 Unbelievable; 4 babies.

Sample Screen Output 4

Enter number of babies: 6 I don't believe you.

LISTING 3.6 Adding Color (part 1 of 2)

```
import javax.swing.JApplet;
import java.awt.Color;
import java.awt.Graphics;
public class YellowFace extends JApplet
    public static final int FACE_DIAMETER = 200;
    public static final int X_FACE = 100;
    public static final int Y_FACE = 50;
    public static final int EYE_WIDTH = 10;
    public static final int EYE_HEIGHT = 20;
    public static final int X_RIGHT_EYE = 155;
    public static final int Y_RIGHT_EYE = 100;
    public static final int X_LEFT_EYE = 230;
    public static final int Y_LEFT_EYE = Y_RIGHT_EYE;
    public static final int NOSE_DIAMETER = 10;
    public static final int X_NOSE = 195; //Center of nose will
                                          //be at 200
    public static final int Y_NOSE = 135;
    public static final int MOUTH_WIDTH = 100;
    public static final int MOUTH_HEIGHT = 50;
```

```
public static final int X_MOUTH = 150;
    public static final int Y_MOUTH = 160;
    public static final int MOUTH_START_ANGLE = 180;
    public static final int MOUTH_EXTENT_ANGLE = 180;
    public void paint(Graphics canvas)
                                              The filled yellow circle is drawn
                                              first so that the other drawings
        //Draw face interior and outline:
                                              will be on top of the yellow.
        canvas.setColor(Color.YELLOW);
        canvas.filloval(X_FACE, Y_FACE, FACE_DIAMETER,
        FACE_DIAMETER);
        canvas.setColor(Color.BLACK);
        canvas.drawOval(X_FACE, Y_FACE, FACE_DIAMETER,
        FACE_DIAMETER);
        //Draw eyes:
        canvas.setColor(Color.BLUE);
        canvas.filloval(X_RIGHT_EYE, Y_RIGHT_EYE, EYE_WIDTH,
        EYE_HEIGHT);
        canvas.fillOval(X_LEFT_EYE, Y_LEFT_EYE, EYE_WIDTH,
        EYE HEIGHT):
        //Draw nose:
        canvas.setColor(Color.BLACK);
        canvas.filloval(X_NOSE, Y_NOSE, NOSE_DIAMETER,
        NOSE DIAMETER);
        //Draw mouth:
        canvas.setColor(Color.RED);
        canvas.drawArc(X_MOUTH, Y_MOUTH, MOUTH_WIDTH, MOUTH_HEIGHT,
           MOUTH_START_ANGLE, MOUTH_EXTENT_ANGLE);
}
```

FIGURE 3.10 Predefined Colors for the setColor Method

Color.BLUE COlor.CYAN COlor.DARK_GRAY COlor.GRAY	Color.MAGENTA Color.ORANGE Color.PINK Color.RED Color.WHITE Color.YELLOW
--	--

FIGURE 3.11 A Yes-or-No Dialog Box

