

Chapter 5

Linked Lists

© 2011 Pearson Addison-Wesley. All rights reserved

5 A-1

Preliminaries

- Options for implementing an ADT
 - Array
 - Has a fixed size
 - Data must be shifted during insertions and deletions
 - Linked list
 - Is able to grow in size as needed
 - Does not require the shifting of items during insertions and deletions

Preliminaries




Figure 5-1

a) A linked list of integers; b) insertion; c) deletion

© 2011 Pearson Addison-Wesley. All rights reserved

5 A-3

Object References

- A reference variable
 - Contains the location of an object
 - Example

```
Integer intRef;  
intRef = new Integer(5);
```
 - As a data field of a class
 - Has the default value `null`
 - A local reference variable to a method
 - Does not have a default value

Object References





Figure 5-2
A reference to an *Integer* object

Object References

int i, j;
i = 5;
j = i;
i = 6;

- When one reference variable is assigned to another reference variable, both references then refer to the same object

```
Integer p, q;  
p = new Integer(6);  
q = p;
```



- A reference variable that no longer references any object is marked for garbage collection

Object References




Figure 5-3a-d

a) Declaring reference variables; b) allocating an object; c) allocating another object, with the dereferenced object marked for garbage collection

Object References




Figure 5-3e-g

e) allocating an object; f) assigning *null* to a reference variable; g) assigning a reference with a *null* value

Object References

- An array of objects
 - Is actually an array of references to the objects
 - Example

```
Integer[] scores = new Integer[30];
```

- Instantiating Integer objects for each array reference

```
scores[0] = new Integer(7);
```

```
scores[1] = new Integer(9); // and so on ...
```




Object References


- Equality operators (`==` and `!=`)
 - Compare the values of the reference variables, not the objects that they reference
- `equals` method
 - Compares objects field by field
- When an object is passed to a method as an argument, the reference to the object is copied to the method's formal parameter
- Reference-based ADT implementations and data structures use Java references

Integer p, q;

p = new Integer(5);
- q = p;
if (p == q)
true



q = new Integer(5);
if (p == q)
false



Resizable Arrays

- The number of references in a Java array is of fixed size
- Resizable array
 - An array that grows and shrinks as the program executes
 - An illusion that is created by using an allocate and copy strategy with fixed-size arrays
- `java.util.Vector` class
 - Uses a similar technique to implement a growable array of objects

Reference-Based Linked Lists

- Linked list
 - Contains nodes that are linked to one another
 - A node contains both data and a link to the next item
 - Access is package-private

```
package List;  
class Node {  
    Object item;  
    Node next;  
    // constructors, accessors,  
    // and mutators ...  
} // end class Node
```




Figure 5-5

A node

Reference-Based Linked Lists

- Using the Node class

```
Node n = new Node (new Integer(6));
```

```
Node first = new Node (new Integer(9), n);
```




Figure 5-7

Using the **Node** constructor to initialize a data field and a link value

Reference-Based Linked Lists

- Data field `next` in the last node is set to `null`
- `head` reference variable
 - References the list's first node
 - Always exists even when the list is empty




Figure 5-8

A **head** reference to a linked list

© 2011 Pearson Addison-Wesley. All rights reserved

5 A-14

Reference-Based Linked Lists

- head reference variable can be assigned null without first using new

- Following sequence results in a lost node

```
head = new Node(); // Don't really need to use new here
head = null; // since we lose the new Node object here
```





Figure 5-9

A lost node



Programming with Linked Lists: Displaying the Contents of a Linked List

- `curr` reference variable
 - References the current node
 - Initially references the first node
- To display the data portion of the current node

```
System.out.println(curr.item);
```

- To advance the current position to the next node

```
curr = curr.next;
```

Displaying the Contents of a Linked List





Figure 5-10

The effect of the assignment `curr = curr.next`

Displaying the Contents of a Linked List

- To display all the data items in a linked list

```
for (Node curr = head; curr != null; curr =  
    curr.next) {  
    System.out.println(curr.item);  
} // end for
```



Deleting a Specified Node from a Linked List

- To delete node N which `curr` references
 - Set `next` in the node that precedes N to reference the node that follows N

```
prev.next = curr.next;
```




Figure 5-11

Deleting a node from a linked list

© 2011 Pearson Addison-Wesley. All rights reserved

5 A-19

Deleting a Specified Node from a Linked List

- Deleting the first node is a special case

```
head = head.next;
```




Figure 5-12

Deleting the first node

Deleting a Specified Node from a Linked List

- To return a node that is no longer needed to the system

```
curr.next = null;  
curr = null;
```

- Three steps to delete a node from a linked list
 - Locate the node that you want to delete
 - Disconnect this node from the linked list by changing references
 - Return the node to the system

Inserting a Node into a Specified Position of a Linked List

- To create a node for the new item
`newNode = new Node(item);`
- To insert a node between two nodes
`newNode.next = curr;`
`prev.next = newNode;`




Figure 5-13

Inserting a new node into a linked list

© 2011 Pearson Addison-Wesley. All rights reserved

5 A-22

Inserting a Node into a Specified Position of a Linked List

- To insert a node at the beginning of a linked list

```
newNode.next = head;
```

```
head = newNode;
```




Figure 5-14

Inserting at the beginning of a linked list

© 2011 Pearson Addison-Wesley. All rights reserved

5 A-23

Inserting a Node into a Specified Position of a Linked List

- Inserting at the end of a linked list is not a special case if `curr` is `null`

```
newNode.next = curr;
```

```
prev.next = newNode;
```




Figure 5-15

Inserting at the end of a linked list

Inserting a Node into a Specified Position of a Linked List

- Three steps to insert a new node into a linked list
 - Determine the point of insertion
 - Create a new node and store the new data in it
 - Connect the new node to the linked list by changing references

Determining curr and prev

- Determining the point of insertion or deletion for a sorted linked list of objects

```
for ( prev = null, curr = head;  
      (curr != null) &&  
      (newValue.compareTo(curr.item) > 0);  
      prev = curr, curr = curr.next ) {  
} // end for
```

A Reference-Based Implementation of the ADT List

- A reference-based implementation of the ADT list
 - Does not shift items during insertions and deletions
 - Does not impose a fixed maximum length on the list




Figure 5-18

A reference-based implementation of the ADT list

A Reference-Based Implementation of the ADT List

- Default constructor
 - Initializes the data fields `numItems` and `head`
- List operations
 - Public methods
 - `isEmpty`
 - `size`
 - `add`
 - `remove`
 - `get`
 - `removeAll`
 - Private method
 - `find`

Comparing Array-Based and Referenced-Based Implementations

- Size
 - Array-based
 - Fixed size
 - Issues
 - » Can you predict the maximum number of items in the ADT?
 - » Will an array waste storage?
 - Resizable array
 - » Increasing the size of a resizable array can waste storage and time

Comparing Array-Based and Referenced-Based Implementations

- Size (Continued)
 - Reference-based
 - Do not have a fixed size
 - Do not need to predict the maximum size of the list
 - Will not waste storage
- Storage requirements
 - Array-based
 - Requires less memory than a reference-based implementation
 - There is no need to store explicitly information about where to find the next data item

Comparing Array-Based and Referenced-Based Implementations

- Storage requirements (Continued)
 - Reference-based
 - Requires more storage
 - An item explicitly references the next item in the list
- Access time
 - Array-based
 - Constant access time
 - Reference-based
 - The time to access the i^{th} node depends on i

Comparing Array-Based and Referenced-Based Implementations

- Insertion and deletions
 - Array-based
 - Require you to shift the data
 - Reference-based
 - Do not require you to shift the data
 - Require a list traversal

Passing a Linked List to a Method

- A method with access to a linked list's head reference has access to the entire list
- When head is an actual argument to a method, its value is copied into the corresponding formal parameter





Figure 5-19

A head reference as an argument

© 2011 Pearson Addison-Wesley. All rights reserved

5 B-33

Processing Linked Lists Recursively



- Traversal
 - Recursive strategy to display a list
 - Write the first node of the list
 - Write the list minus its first node
 - Recursive strategies to display a list backward
 - `writeListBackward` strategy
 - Write the last node of the list
 - Write the list minus its last node backward
 - `writeListBackward2` strategy
 - Write the list minus its first node backward
 - Write the first node of the list

)

Processing Linked Lists Recursively

- Insertion

- Recursive view of a sorted linked list

- The linked list that `head` references is a sorted linked list if `head` is `null` (the empty list is a sorted linked list)

- or

- `head.next` is `null` (a list with a single node is a sorted linked list)

- or

- `head.item < head.next.item`,
and `head.next` references a sorted linked list

Variations of the Linked List: Tail References

- `tail` references
 - Remembers where the end of the linked list is
 - To add a node to the end of a linked list

```
tail.next = new Node(request, null);
```




Figure 5-22

A linked list with *head* and *tail* references

© 2011 Pearson Addison-Wesley. All rights reserved

5 B-36

Circular Linked List

- Last node references the first node
- Every node has a successor




Figure 5-23

A circular linked list

© 2011 Pearson Addison-Wesley. All rights reserved

5 B-37

Circular Linked List




Figure 5-24

A circular linked list with an external reference to the last node

Dummy Head Nodes

- Dummy head node
 - Always present, even when the linked list is empty
 - Insertion and deletion algorithms initialize `prev` to reference the dummy head node, rather than `null`




Figure 5-25

A dummy head node

Doubly Linked List

- Each node references both its predecessor and its successor
- Dummy head nodes are useful in doubly linked lists




Figure 5-26

A doubly linked list

© 2011 Pearson Addison-Wesley. All rights reserved

5 B-40

Doubly Linked List

- Circular doubly linked list
 - `preceding` reference of the dummy head node references the last node
 - `next` reference of the last node references the dummy head node
 - Eliminates special cases for insertions and deletions

Doubly Linked List




Figure 5-27

a) A circular doubly linked list with a dummy head node; b) an empty list with a dummy head node

Doubly Linked List

- To delete the node that `curr` references

```
curr.preceding.next = curr.next;
```

```
curr.next.preceding = curr.preceding;
```




Figure 5-28

Reference changes for deletion

© 2011 Pearson Addison-Wesley. All rights reserved

5 B-43

Doubly Linked List

- To insert a new node that `newNode` references before the node referenced by `curr`

```
newNode.next = curr;  
newNode.preceding = curr.preceding;  
curr.preceding = newNode;  
newNode.preceding.next = newNode;
```




Figure 5-29
Reference changes
for insertion

Application: Maintaining an Inventory

- Stages of the problem-solving process
 - Design of a solution
 - Implementation of the solution
 - Final set of refinements to the program
- Operations on the inventory
 - List the inventory in alphabetical order by title (L command)
 - Find the inventory item associated with title (I, M, D, O, and S commands)
 - Replace the inventory item associated with a title (M, D, R, and S commands)
 - Insert new inventory items (A and D commands)

The Java Collections Framework

- Implements many of the more commonly used ADTs
- Collections framework
 - Unified architecture for representing and manipulating collections
 - Includes
 - Interfaces
 - Implementations
 - Algorithms

Generics

- JCF relies heavily on Java generics
- Generics
 - Develop classes and interfaces and defer certain data-type information
 - Until you are actually ready to use the class or interface
- Definition of the class or interface is followed by $\langle E \rangle$
 - E represents the data type that client code will specify

Iterators

- Iterator
 - Gives the ability to cycle through items in a collection
 - Access next item in a collection by using `iter.next()`
- JCF provides two primary iterator interfaces
 - `java.util.Iterator`
 - `java.util.ListIterator`
- Every ADT collection in the JCF have a method to return an iterator object

Iterators

- ListIterator methods
 - **void** add(E o)
 - **boolean** hasNext()
 - **boolean** hasPrevious()
 - E next()
 - **int** nextIndex()
 - E previous()
 - **int** previousIndex()
 - **void** remove()
 - **void** set(E o)

The Java Collection's Framework

List Interface

- JCF provides an interface `java.util.List`
- List interface supports an ordered collection
 - Also known as a sequence
- Methods
 - **boolean** `add(E o)`
 - **void** `add(int index, E element)`
 - **void** `clear()`
 - **boolean** `contains(Object o)`
 - **boolean** `equals(Object o)`
 - `E` `get(int index)`
 - **int** `indexOf(Object o)`

The Java Collection's Framework

List Interface

- Methods (continued)
 - **boolean** isEmpty()
 - Iterator<E> iterator()
 - ListIterator<E> listIterator()
 - ListIterator<E> listIterator(int index)
 - E remove(**int** index)
 - **boolean** remove(Object o)

The Java Collection's Framework

List Interface

- Methods (continued)
 - `E set(int index, E element)`
 - `int size()`
 - `List<E> subList(int fromIndex, int toIndex)`
 - `Object[] toArray()`

Summary

- Reference variables can be used to implement the data structure known as a linked list
- Each reference in a linked list is a reference to the next node in the list
- Algorithms for insertions and deletions in a linked list involve
 - Traversing the list from the beginning until you reach the appropriate position
 - Performing reference changes to alter the structure of the list

Summary

- Inserting a new node at the beginning of a linked list and deleting the first node of a linked list are special cases
- An array-based implementation uses an implicit ordering scheme; a reference-based implementation uses an explicit ordering scheme
- Any element in an array can be accessed directly; you must traverse a linked list to access a particular node
- Items can be inserted into and deleted from a reference-based linked list without shifting data

Summary

- The `new` operator can be used to allocate memory dynamically for both an array and a linked list
 - The size of a linked list can be increased one node at a time more efficiently than that of an array
- A binary search of a linked list is impractical
- Recursion can be used to perform operations on a linked list
- The recursive insertion algorithm for a sorted linked list works because each smaller linked list is also sorted

Summary

- A tail reference can be used to facilitate locating the end of a list
- In a circular linked list, the last node references the first node
- Dummy head nodes eliminate the special cases for insertion into and deletion from the beginning of a linked list
- A head record contains global information about a linked list
- A doubly linked list allows you to traverse the list in either direction

Summary

- Generic class or interface
 - Enables you to defer the choice of certain data-type information until its use
- Java Collections Framework
 - Contains interfaces, implementations, and algorithms for many common ADTs
- Collection
 - Object that holds other objects
 - Iterator cycles through its contents